

कार्यालय अधिष्ठाता, कृषि महाविद्यालय रेस कोर्स रोड़ ,ग्वालियर-474002 (म.प्र.)

क्र./अधिष्ठाता/प्रक्षेत्र/ग्वालियर/2021/112

दिनांक: 14.07.2021

// सूचना //

राजमाता विजयाराजे सिंधिया कृषि विश्वविद्यालय के ग्वालियर प्रक्षेत्र की समबर्सिबल मोटर रिपेयरिंग कार्य करने की सीमित निविदा दरें आमित्रित की जाती है। अतः उक्त कार्य के लिए इच्छुक फर्म अपनी दरें अधिष्ठाता, कृषि महाविद्यालय, रेस कोर्स रोड़ ,ग्वालियर-474002 (म.प्र.) को दिनांक 22.07.2021 सायं 5 बजे तक स्पीड पोस्ट द्वारा भेजें। सीमित निविदा दिनांक 23.07.2021 को दोपहर 2:00 बजे अधिष्ठाता कार्यालय में खोली जाएगी।

सीमित निविदा फार्म एवं शर्तें प्रभारी अधिकारी प्रक्षेत्र कार्यालय, ग्वालियर से दिनांक 15.07.2021 से कार्यालयीन समय में प्राप्त की जा सकती हैं।

अधिष्ठाता

प्रतिलिपि :

1. पोर्टल प्रभारी, रा.वि.सिं.कृ.वि.वि. ग्वालियर।
2. सूचना पटल , कृषि महाविद्यालय, ग्वालियर।
3. सूचना पटल ग्वालियर फार्म ।

(1)

Short Tender Form

Name of firm.....

Address

.....
GST No.

Name of work - Repairing/Servicing of Submersible Pump set and starter/control panel and Lower/Lifting/Installation

S. No.	Description of work	Unit	Rate in rupees
A.	Repairing & Servicing of submersible motor pump set		
1.	Submersible motor disassembling, testing and assembling		
(i)	0.5 H.P to 2.0 H.P Single/Three phase	Each	
(ii)	3.0 H.P to 7.5 H.P Single /Three phase	Each	
(iii)	10.00 H.P to 20.0 H.P Single/Three phase	Each	
2.	Rewinding of Submersible motor with replacement of burnout wire, insulation film and wood stick etc.		
(i)	0.5 H.P to 2.0 H.P Single/Three phase	Each	
(ii)	3.0 H.P to 5.0 H.P Single /Three phase	Each	
(iii)	6.0 H.P to 7.5 H.P Single/Three phase	Each	
(iv)	10.0 H.P to 12.5 H.P Single/Three phase	Each	
(v)	15.0 H.P to 20.0 H.P Single/Three phase	Each	
3.	Rotor Sleeve machining	Each	
4.	Replacement of motor bush 4 nos	Set	
5.	Replacement of T.B. set with plate		
6.	Replacement of water seal	Each	
7.	Replacement of Rotor sleeve	Set	
8.	Repairing of stator slot	L.S.	
9.	Repairing of Key way by welding and machining	Each	
10.	Replacement of Cable leads (2 mtr.)	Each	
11.	Replacement of sand guard S.S	Each	
12.	Replacement of motor connecting & Key	Each	
13.	Replacement of motor connecting	Each	
14.	Replacement of lower/upper housing	Each	

(2)

15.	Replacement of motor Base	Each	
16.	Replacement of stator flange	Each	
17.	Replacement of fange stud 4 nos	Set	
18.	Replacement of stator Lock	Each	
19.	Replacement of motor Tee Bolt and nut	Each	
20.	Replacement of connecting stud 4 nos with nut	Set	
21.	Replacement of drain plug	Each	
22.	Replacement of S.S. nut 8/10 mm	Each	
23.	Disassembling, checking and testing of submersible pump	Each	
24.			
(i)	Assembling of submersible pump up to 8 stage	Each	
(ii)	Add for above per stages	Each	
25.	Replacement of neckring	Each	
26.	Replacement of pump bush	Each	
27.	Replacement of impeller ss/nylon	Each	
28.	Replacement of pump suction	Each	
29.	Replacement of pump Bowl	Each	
30.	Replacement of pump middle	Each	
31.	Replacement of pump D.O.	Each	
32.	Replacement of pump NRV	Each	
33.	Replacement of pump couple	Each	
34.	Check nut SS	Each	
35.			
(i)	Pump Tee Bolt up to 8 stage	Each	
(ii)	Add above 8 stage per stage	Each	
36.	Pump stud with nut	Each	
37.	MS nut 8/10 mm	Each	
38.	SS nut 8/10 mm	Each	
39.	Coupling & Setting motor pump and Testing		
(i)	0.5 H.P to 10 H.P	Each	
(ii)	12.5 H.P to 20.0 H.P	Each	
40.	Painting of submersible pump set with two coat of Zink chromate primer & one coat of Anemal paint		
(i)	Motor	Each	
(ii)	Pump	Each	
B.	Lowering & Lifting of submersible pump set in the bore well		
(i)	GI delivery pipe up to 300 feet	Each Job	

(3)

(ii)	GI delivery pipe 301 to 500 feet	Each Job	
(iii)	HDPE delivery pipe up to 300 feet	Each Job	
(iv)	HDPE delivery pipe 301 to 500 feet	Each Job	
C.	Stator/Control panel Bentex		
1.	Testing of stator/control panel		
(i)	DOL SP/TP DOL	Each	
(ii)	S/D TP	Each	
2.			
(i)	Replacement of operating coil	Each	
(ii)	Replacement of combination coil	Each	
3.	Replacement of over load relay	Each	
(i)	Replacement of Air break contactor	Each	
(ii)	For oil immersed contactor		
4.	Replacement of over load relay	Each	
5.	Replacement of on/off push switch	Each	
6.	Replacement of Base plate	Each	
7.	Replacement of auxiliary contact	Each	
8.	Replacement of Terminal Block	Each	
9.	Replacement of single phase preventer	Each	
10.	Replacement of MCB single pole	Each	
11.	Replacement of MCB triple pole	Each	
12.	Replacement of Volt/Amp meter	Each	
13.	Replacement of starter oil	Liter	
14.	Replacement of Indicator	Each	

Terms & Conditions

1. Rates should be given on above format firm and inclusive of all takes.
2. Validity of rates at least 12 month
3. After testing and disasemlifing of pump set/starter-control panel estimate will produce and approve from concern authority.
4. Payment will the made after successful operation for one week.

Signature and seal of service center