

K.N.K. College of Horticulture, Mandsaur

Subject: Spices and Condiments

Prepared by - Miss. Megha Upadhyay

1. What is the optimum sowing time for fennel?
 - a. **Mid September – Mid October**
 - b. Mid October – Mid November
 - c. Mid November – Mid December
 - d. Mid December – Mid January
2. Which of the following spice is largely exported from India?
 - a. Cardamom
 - b. **Black Pepper**
 - c. Clove
 - d. Mace
3. Rio-De-Janerio is a variety of ?
 - a. Black Pepper
 - b. Fenugreek
 - c. **Ginger**
 - d. Turmeric
4. Which one is a seed spice?
 - a. Saffron
 - b. **Cumin**
 - c. Clove
 - d. Kokum
5. Flavour include-
 - a. Taste
 - b. Aroma
 - c. Texture
 - d. **Both A and B**
6. Cumin belongs to family
 - a. Piperaceae
 - b. **Apiaceae**
 - c. Myrtaaceae
 - d. Rutaceae
7. Which is known as queen of spices?
 - a. **Cardamom**
 - b. Black Pepper
 - c. Turmeric
 - d. Ginger
8. Curcumin is extracted from
 - a. **Turmeric**
 - b. Kokum
 - c. Ginger
 - d. Curry leaf

9. IISR is situated at?
- Bengluru
 - Calicut**
 - Varanasi
 - Ajmer
10. Betal vine is trained on-
- Pergolas
 - Y trellies
 - Bereja**
 - Bower system
11. Coriander belongs to family-
- Apiaceae**
 - Graminae
 - Asclapidaceae
 - Zingiberaceae
12. Nityashree and Navashree are the cultivars of?
- Cumin
 - Cinamon**
 - Ginger
 - Fenugreek
13. Sindhu is a variety of
- Fennel
 - Coriander**
 - Cumin
 - Fenugreek
14. Chromosome number of turmeric is-
- $2n=22$
 - $2n=62$**
 - $2n=128$
 - $2n=24$
15. National Research Centre for seed spices is situated at-
- Ajmer**
 - Bikaner
 - Junagarh
 - Jaipur
16. Rajendra Swati is a variety of?
- Turmeric
 - Coriander**
 - Black Pepper
 - None of the above
17. Inflorescence of Coriander is of type-
- Spike

b. Compound umbel

- c. Umbel
- d. Raceme

18. The proportion of dried shelled nutmeg to dried mace is approximately

- a) **20:3**
- b) 10:3
- c) 25:10
- d) 35:10

19. In coriander drying is done to maintain moisture level

- a) **<13% in seeds**
- b) <15% in seeds
- c) <17 % in seeds
- d) <19 % in seeds

20. Feathering is related to

- a) **Cinnamon**
- b) Vanilla
- c) All spice
- d) Nutmeg

21. Vanilla beans takemonths for drying

- a) 10 months
- b) 8 months
- c) 6 months
- d) **2 months**

22. Sun dried black pepper content the moisture %

- a) 10-12%
- b) 15-17%
- c) **20-22%**
- d) 25-27%

23. Green and tender pepper is harvested for preparation of –

- a) **Canned pepper**
- b) White pepper
- c) Dry pepper
- d) None of them

24. Botanical name of Black pepper is

- a) Curcuma longa
- b) Acorus calamus
- c) Pimenta dioca
- d) **Piper nigrum**

25. Botanical name of Dill is

- a) **Anethum graveolens**
- b) Foeniculum vulgare
- c) Pimpinella anisum

- d) *Crocus sativus*
26. Origin of fenugreek is
- a) Apiaceae
 - b) Iridaceae
 - c) Solanaceae
 - d) Fabaceae**
27. Seed rate of common methi is ..
- a) 25 kg/ha**
 - b) 35 kg/ha
 - c) 15 kg/ha
 - d) 10 kg/ha
28. The term "Alleppy" is related tocrop.
- a) Zinger
 - b) Cumin
 - c) Turmeric**
 - d) Fenugreek
29. Botanical name of Kokum is
- a) *Vanilla planifolia*
 - b) *Garcinia indica***
 - c) *Murraya koenigi*
 - d) *Ferula foetida*
30. Botanical name of Juniper is
- a) *Juniperus communis***
 - b) *Syzygium aromaticum*
 - c) *Acorus calamus*
 - d) *Amomum subulatum*