

4.3.3:

**Institution has the
following Facilities for
e-content
development and
other resource
development**





1.

Item No. 4.3.3(1)

**Audio visual center,
mixing equipment,
editing facilities and
Media Studio**



Video Recording system





[AHUJA PA MIXER FMX-106 4 CHANNEL](#)





Ahuja PA Mixer Amplifier Model SSA-250M



Ahuja AWM-495V2 Dual Hand wireless Microphone





RVSKVV, GWALIOR (MP)


4.3.3 Audio visual center

Electronic Podium






Smart Class rooms



Virtual Class rooms






AR and VR Lab





RVSKVV, GWALIOR (MP)

4.3.3 Audio visual center





Media Chenal

youtube.com/watch?v=88rkx40vT3g

YouTube IN Search



पशु पोषण में श्रीअन्न की भूमिका/ उपयोगिता - डॉ. दीपक उपाध्याय, वैज्ञानिक (पशुधन उत्पादन एवं प्रबंधन)


Millet School on Air by RVSKVV Gwalior
116 subscribers

Subscribe 7 0 Share Download ...

153 views 4 months ago RVSKVV ADMINISTRATIVE BLOCK
पशु पोषण में श्रीअन्न (मिलेट्स) की भूमिका/ उपयोगिता - डॉ. दीपक उपाध्याय, वैज्ञानिक (पशुधन उत्पादन एवं प्रबंधन), भा.कृ.अनु.प.-भारतीय चरागाह एवं चारा अनुसंधान संस्थान, झाँसी (उ.प्र.) ...more

youtube.com/watch?v=LGUdbUdzUQA

YouTube IN Search



अंतर्राष्ट्रीय मिलेट (पोषक अनाज) वर्ष 2023
संयुक्त राष्ट्र की वैश्विक अन्न सुरक्षा शिखर सम्मेलन के तहत की जा रही
कम अक्सिडेंटिक कार्बन के साथ ही व्यक्तिगत जीवन जमा

कुटकी उत्पादन तकनीकी एवं उन्नतशील किस्में - डॉ निशा सिंह वैज्ञानिक (सस्य विज्ञान) अ भा गे अनु परि

Millet School on Air by RVSKVV Gwalior
116 subscribers

Subscribe 9 0 Share Download ...

225 views 5 months ago ...more

Climate change
United Nations • Climate change refers to long-term shifts in temperatures and weather patterns. Human activities have been the main driver of climate change, primarily due to the burning of fossil fuels like coal, oil and gas.



2.

Item No. 4.3.3(2)

Lecture Capturing System



RVSKVV, GWALIOR (MP)



4.3.3 Lecture Capturing

Lecture capturing System (LCS)











Plant protection

Pest Management

- Red spider mite (*Tetranychus* sp.) - These mites sometime appear on the plant near flowering time. Plants give dusty appearance. It can be controlled by spraying Metasystox 25 E C or Rogor or Nuvacron 40 E C or Kethone @ 1 ml/l of water.
- Hairy caterpillar (*Diacrisia oblique*) - This caterpillar eats away foliage. This caterpillar can be controlled by Nuvan or Thiodan at 1 ml/l of water.
- Mealy bug:- Mealy bugs are crowdly present in young shoots, stem and leaves. Flattening and crinkled with dark green leaves.

Control measures

- Spray prophenophos or dimethoate @ 2ml/litre.

GPS Map Camera

Google

Gwalior, Madhya Pradesh, India
 Racecourse Rd, RVS Agriculture University Campus, Thatipur,
 Gwalior, Madhya Pradesh 474005, India
 Lat 26.222777°
 Long 78.190981°
 14/06/24 12:13 PM GMT +05:30

Bacillus thuringiensis (Bt)

Solubilization Activation

Ingestion

Septicemia Dead larvae

Binding to receptor Membrane penetration

Insect midgut cells Pores lead to osmotic cell lysis

Cell death

Activation of cell death pathway

GPS Map Camera

Google

Gwalior, Madhya Pradesh, Ấn Độ
 659X+PCQ, RVS Agriculture University Campus, Thatipur, Gwalior,
 Madhya Pradesh 474011, Ấn Độ
 Lat 26.219621°
 Long 78.198696°
 21/06/24 01:05 CH GMT +05:30



3

Item No. 4.3.3(3)

Central

Instrumentation

Centre



Name of Equipment: BOD Incubator

Application: A BOD (Biochemical Oxygen Demand) incubator is a specialized laboratory equipment used in measuring the amount of oxygen consumed by microorganisms in water or wastewater samples



GPS Map Camera



Gwalior, Madhya Pradesh, India

659X+VHQ, LNUPE Campus, Thatipur, Gwalior, Madhya Pradesh

474011, India

Lat 26.219858°

Long 78.198903°

21/06/24 01:14 PM GMT +05:30

Google



Name of Equipment: Cylindrical Autoclave

Application: Autoclaves operate at high temperature and pressure in order to kill microorganisms and spores. They are used to decontaminate certain biological waste and sterilize media, instruments and lab ware.



Name of Equipment: Rectangular Autoclave

Application: Autoclaves operate at high temperature and pressure in order to kill microorganisms and spores. They are used to decontaminate certain biological waste and sterilize media, instruments and lab ware.






Name of Equipment: Glassware Washing System

Application: A glassware washer, also known as a laboratory glassware washer or an automatic glassware washer, is a specialized appliance used in laboratories, research facilities, and other scientific settings for the automated cleaning and sanitization of glassware and other laboratory utensils.



Name of Equipment: Hot Air Oven

Application: Hot air ovens are laboratory testing equipment that are used to sterilise materials such as glassware, chemicals, and sealed containers. They are also used for drying, baking, curing, and heat-treating various substances





Name of Equipment: Laminar Air Flow Cabinet

Application: A laminar air flow cabinet is used to create a sterile atmosphere for activities like plant tissue culture.



Name of Equipment: Incubator Shaker Innova 42 R

Application: a laminar air flow cabinet is used to create a sterile atmosphere for activities like plant tissue culture.





Name of Equipment: Electronic Analytical Balance

Application: An electronic analytical balance is a highly accurate weighing device used for measuring the mass of small objects or substances with extreme precision



Name of Equipment: Microwave Oven


Application: Microwave ovens are used for heating and defrosting in laboratories.





Name of Equipment: Cryotome

Application: This specialized device allows researchers and pathologists to obtain thin, high-quality tissue sections at low temperatures



GPS Map Camera



Gwalior, Madhya Pradesh, Ấn Độ
659X+VHQ, LNUPE Campus, Thatipur, Gwalior, Madhya Pradesh
474011, Ấn Độ
Lat 26.219859°
Long 78.198906°
21/06/24 01:31 CH GMT +05:30

Name of Equipment: Deep Freezer -20°C

Application: Cryopreservation: Long-term storage of chemicals, DNA etc



GPS Map Camera



Gwalior, Madhya Pradesh, Ấn Độ
659X+VHQ, LNUPE Campus, Thatipur, Gwalior, Madhya Pradesh
474011, Ấn Độ
Lat 26.219859°
Long 78.198906°
21/06/24 01:32 CH GMT +05:30



Name of Equipment: Automated Systems for Protein Nucleic Acid

Application: It follows kit based protocols that remove manual steps and reduce overall processing time for DNA/ RNA isolation and increasing the yield reproducibility of your results compared to manual workflows



Name of Equipment: Water bath

Application: The water bath is an essential laboratory equipment used to heat the samples over a while at a constant temperature in research or clinical laboratories. The main distinguishing feature of the water bath is it uses water as media of heat transmission.





Name of Equipment: Gel Documentation System

Application: Gel documentation systems, also known as 'gel docs' or 'gel imagers,' are used to record and analyze the results of gel electrophoresis and membrane blotting experiments.



Name of Equipment: Tissue Lyzer

Application: The TissueLyser provides efficient disruption of biological material in each sample vessel for reproducible, high-quality results in downstream applications such as the purification of total DNA or RNA from a variety of plant tissues





Name of Equipment: Eppendorf Centrifuge

Application: The Centrifuge is used for the separation of aqueous solutions and suspensions of different densities in approved sample tubes.



Name of Equipment: Hybridization oven cum shaker

Application: Hybridization oven/incubator is ideal for sterile laboratory testing and where the integrity of the sample must be preserved while heating it to the exact temperature for the right period of time.





Name of Equipment: DNA Sequencer (NGS Miseq)

Application: Next-generation sequencing (NGS) is a massively parallel sequencing technology that offers ultra-high throughput, scalability, and speed.



Name of Equipment: Electroporator for protoplast fusion

Application: electroporator is used primarily to stimulate the uptake of plasmids for stable and transient genetic transformation






Name of Equipment: Micro volume spectrophotometer

Application: The Micro-volume UV/Vis Spectrophotometer is an essential part of a laboratory, and is often used in the quantification of nucleic acids and proteins



Name of Equipment: Fraction Collector

Application: The fraction collector is typically a rotating rack that can be filled with test tubes or similar containers. It allows samples to be collected in fixed volumes, or can be controlled to direct specific fractions





Name of Equipment: Table Top High Speed Refrigerated Centrifuge

Application: High-speed centrifuges are used in virology and particle research to concentrate, purify, and separate viruses, virus-like particles, and other particulate matter.



Name of Equipment: Gradient Thermal Cycler

Application: They are essential laboratory equipment for researchers who run polymerase chain reactions (PCR) for sequencing, cloning, genotyping, mutagenesis, and many other applications.





Name of Equipment: Deep Freezer-40°C

Application: Research and storage applications such as low-temperature scientific experiments



Name of Equipment: Ultracentrifuge

Application: Ultracentrifugation rotates samples at high speeds for high g-force separations. It is being used to purify and characterize low-molecular-weight polymers up to multi-mega Dalton protein complexes and organelles





Name of Equipment: Programmable Controlled Biological Freezer

Application: Freezers are used for cryopreservation of any biological product



Name of Equipment: Walk in BOD Incubator

Application: Walk-In BOD (Bio-Oxygen Demand) incubators are used to maintain temperature for test tissue culture growth, storage of bacterial cultures and incubation where high degree of constant temperature accuracy is required






Name of Equipment: Deep Freezer-80°C

Application: It is used for long term storage of DNA, tissue and other chemicals



GPS Map Camera




Name of Equipment: Deep Freezer-80°C Thermo Revco 900 Series

Application: For long term storage of tissue, DNA, RNA



GPS Map Camera





Name of Equipment: Incubator Shaker

Application: A laboratory incubator shaker is a type of laboratory equipment used to incubate and shake samples at a predetermined temperature and shaking speed.



Name of Equipment: Big Boss R.O. System

Application: RO can remove dissolved or suspended chemical species as well as biological substances (principally bacteria), and is used in industrial processes and the production of potable water.





Name of Equipment: Ice Flakers Palleting Machine

Applications: Users can store dry ice for sale and cold chain transportation. In addition, smaller dry ice particles, such as 3mm dry ice particles, are often used as raw materials for dry ice cleaning machines.



Name of Equipment: Liquid Nitrogen Generator


Application: Liquid nitrogen generators consist of a nitrogen gas generator that divides and extracts nitrogen gas from the oxygen molecules in the air. The generator has a cryocooler that is used for turning the nitrogen gas into a liquid by reducing its temperature to below its evaporation point of approx. $-195.8\text{ }^{\circ}\text{C}$ ($-320\text{ }^{\circ}\text{F}$) and a vacuum-heat insulated vessel that stores the liquid nitrogen.






Name of Equipment: Ultra Pure Water System

Application: What is Ultrapure Water Used for? UPW is used in the semiconductor and pharmaceutical industries the most, though it's an ideal solution for any work in the lab.



Name of Equipment: Digital PCR, Thermal Cycler


Application: The thermal cycler (also known as a thermocycler, PCR machine or DNA amplifier) is a laboratory apparatus most commonly used to amplify segments of DNA via the polymerase chain reaction (PCR).





Name of Equipment: Fragment Analyzer

Application: Fragment analysis enables a wide variety of applications, including cell line authentication, determination of CRISPR-Cas9 genome editing efficiency, microsatellite marker analysis, SNP genotyping, and more. Fragment analysis has a fast turnaround time, high sensitivity and resolution, and is cost-effective.



Name of Equipment: Bench Top Lyophilizer

Application: Bench Top Lyophilizer is applicable for freeze-drying test of laboratory samples and suitable for small amount of production. FD-10-MR include the following types: Regular type, Top-press type, multi-manifold T type and multi-manifold Top-press type.





Name of Equipment: Flow Cytometer

Application: Flow cytometry is a lab test used to analyze characteristics of cells or particles. During the process, a sample of cells or particles is suspended in fluid and injected into a flow cytometer machine.



Name of Equipment: Biometric Machine

Application: Use for attendance






RVSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre

Name of Equipment: RT-PCRFX96 Real Time System



Name of Equipment: Inverted Microscopic with Photographic Attachment





RVSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre

Name of Equipment: Zoom Stereomicroscope with photographic attachment



Name of Equipment: Gel Doc Imager





RSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre

Name of Equipment: Automated Systems for Protein Nucleic Acid



Name of Equipment: Tissue Lyzer





RVSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre

Name of Equipment: Seed Packing Machine



Quality Control Laboratory





RVSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre





RVSKVV, GWALIOR (MP)

4.3.3 Central Instrumentation Centre






4

Item No. 4.3.3(4)


Animal House



Dairy Farm















RVSKVV, GWALIOR (MP)

4.3.3 Animal House





Poultry Farming (KADAKNATH)









Goat Farming





Duck Farming





Fish Farming



Honey Bee Farming







RVSKVV, GWALIOR (MP)

4.3.3 Animal House

Vetrinary Doctor at RVSKVV, Gwalior





5

Item No. 4.3.3(5)
Museum



RVSKVV, GWALIOR (MP)

4.3.3 Museum






Prototype Equipment of Agricultural Engineering







1. Crank Case
2. Crank Shaft
3. Connecting Rod
4. Piston
5. Cylinder
6. Inlet Channel
7. Outlet Channel
8. Overflow Channel
9. Spark Plug
10. Carburetor
11. Throttle Valve

Demonstration Model

TWO STROKE PETROL ENGINE

GPS Map Camera



Khandwa, Madhya Pradesh, India

R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India

Lat 21.81565°

Long 76.36998°

07/10/24 11:28 AM GMT +05:30

Google





Demonstration Model


1 Crank Case	15 Injection Pump
2 Crank Shaft	16 Governor Spindle
3 Connecting Rod	17 Supply Tube
4 Cylinder	18 Pump Cylinder
5 Piston	19 Pump Piston
6 Inlet Valve	20 Pressure Valve
7 Outlet Valve	21 Delivery Pipe
8 Piston Shaft	22 Suction Tube
9 Glow Candle	23 Air Filter
10 Swing Lever	24 Injection Nozzle
11 Exhaust Pipe	25 Nozzle Body
12 Gear Wheel for Cam Shaft Drive	26 Nozzle Head
13 Cam Shaft gear wheel	27 Pressure Bolt
14 Cam Shaft	28 Pressure Socket
	29 Leakage Oil Return

FOUR STROKE DIESEL ENGINE

GPS Map Camera



Khandwa, Madhya Pradesh, India
R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India
Lat 21.81565°
Long 76.36998°
07/10/24 11:28 AM GMT +05:30




GPS Map Camera



Khandwa, Madhya Pradesh, India
 R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India
 Lat 21.81565°
 Long 76.36998°
 07/10/24 11:28 AM GMT +05:30





4.3.3 Museum





4.3.3 Museum







4.3.3 Museum





4.3.3 Museum



Khandwa, Madhya Pradesh, India
R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India
Lat 21.81565°
Long 76.36998°
07/10/24 11:26 AM GMT +05:30

Google



Khandwa, Madhya Pradesh, India
R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India
Lat 21.81565°
Long 76.36998°
07/10/24 11:26 AM GMT +05:30

Google



RVSKVV, GWALIOR (MP)

4.3.3 Museum



 GPS Map Camera



Khandwa, Madhya Pradesh, India

R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India


Lat 21.81565°

Long 76.36998°

07/10/24 11:26 AM GMT +05:30



4.3.3 Museum





ck ONE
Premium Residential Plots

Steering Mechanism
The steering mechanism of a four-wheel type tractor includes: steering wheels, steering gear and steering link radius rod, tie rod and spindle arms. The front axle is properly aligned by the radius rod, which is pivoted on the clutch housing of the tractor. The tie rod connects the front wheel spindle arm and is actuated by the steering shaft through the drag link.
The vertical shaft is rotated by means of a steering wheel. The steering worm of steering shaft meshes with the sector of the vertical shaft. As the steering shaft is turned, the vertical shaft begins to rotate causing the front wheels to turn. The extent to which the vertical shaft is turned depends upon the position of the lock screw, which stops the further turning of the shaft. A similar effect is also obtained by providing two stops on the tractor chassis to limit the turning of the vertical shaft. The two wheels of such tractors are given slight tilt from the vertical plane to improve the steering. The angle is called Camber.

TRACTOR STEERING

GPS Map Camera






Khandwa, Madhya Pradesh, India
R989+7RR B.M. College of Agriculture, Narayan Nagar, Khandwa, Madhya Pradesh 450001, India
Lat 21.81565°
Long 76.36998°
07/10/24 11:26 AM GMT +05:30


Google



4.3.3 Museum





 GPS Map Camera



Jhabua, Madhya Pradesh, India

70, Indore - Ahamadabad Hwy, Kotwali, Jhabua, Badkuwa, Madhya Pradesh



457661, India

Lat 22.764379°

Long 74.599636°


07/10/24 04:37 PM GMT +05:30


Google







Jhabua, Madhya Pradesh, India
70, Indore - Ahamadabad Hwy, Kotwali, Jhabua, Badkuwa, Madhya Pradesh
457661, India
Lat 22.76437°
Long 74.599643°
07/10/24 04:37 PM GMT +05:30









Museum Room
संग्रहालय कक्षा

सिचाई-भाबुआ

GPS Map Camera

Jhabua, Madhya Pradesh, India

70, Indore - Ahamadabad Hwy, Kotwali, Jhabua, Badkuwa, Madhya Pradesh 457661, India

Lat 22.76441°

Long 74.599632°


07/10/24 04:33 PM GMT +05:30



Google




4.3.3 Museum





4.3.3 Museum






4.3.3 Museum










4.3.3 Museum



ग्वालियर, मध्य प्रदेश, भारत

65FR+H6W, RVS एग्रीकल्चर युनिवर्सिटी कैम्पस, थाटीपुर, ग्वालियर, मध्य प्रदेश 474011, भारत

Lat 26.223423°

Long 78.191195°

14/06/24 02:13 PM GMT +05:30

GPS Map Camera



ग्वालियर, मध्य प्रदेश, भारत

65FR+H6W, RVS एग्रीकल्चर युनिवर्सिटी कैम्पस, थाटीपुर, ग्वालियर, मध्य प्रदेश 474011, भारत

Lat 26.223423°

Long 78.191195°

14/06/24 02:13 PM GMT +05:30

GPS Map Camera



GPS Map Camera



ग्वालियर, मध्य प्रदेश, भारत

65FR+H6W, RVS एग्रीकल्चर युनिवर्सिटी कैम्पस, थाटीपुर, ग्वालियर, मध्य प्रदेश 474011, भारत

Lat 26.223423°

Long 78.191194°

14/06/24 02:13 PM GMT +05:30

Google



GPS Map Camera



ग्वालियर, मध्य प्रदेश, भारत

65FR+H6W, RVS एग्रीकल्चर युनिवर्सिटी कैम्पस, थाटीपुर, ग्वालियर, मध्य प्रदेश 474011, भारत

Lat 26.223423°

Long 78.19119°

14/06/24 02:14 PM GMT +05:30

Google





6

Item No. 4.3.3(7)

**Research / Statistical
Database**



CONTRACT AGREEMENT WITH NARS ORGANIZATIONS

MEMORANDUM OF UNDERSTANDING WITH NARS ORGANIZATIONS For providing Software under the NAIP Project “Strengthening Statistical Computing for NARS”

This Memorandum of Understanding (“MOU”) is made among the Members whose name, name of the authorized representative; signature and office seal are given below.

Between

- 1) Indian Agricultural Statistics Research Institute (Indian Council of Agricultural Research) Library Avenue, Pusa, New Delhi – 110 012, India
- 2) Rajmata Vijayaraje Scindia Krishi Vishwa Vidyalaya,
Gwalior (M.P.)
(henceforth called as Concerned NARS organization), New Delhi.

The following are terms and conditions of reference:

1. The concerned NARS organization agrees to make use of the software as per guidelines of the Contract signed between IASRI, New Delhi and M/s SAS Institute (India) Private Limited (the Supplier), a corporation incorporated under the laws of India and having its principal place of business at 4th Floor, Apeejay House, Dinshaw Wachha Road, Churchgate, Mumbai-400 020 (a copy of which is enclosed herewith).
2. The “Users”, for the purposes of the license granted hereunder, would be (i) faculty members and staff employed by NARS organization; (ii) students/trainees/ registered with the concerned NARS organization (educational and/or research Institute of NARS including ICAR/SAU’s/CAU’s/Agricultural Colleges to conduct research / teaching/ training work guided by the Director of the Institute or Vice-Chancellor of the University or Head of Organization and (iii) on site contractors while doing work solely for the benefit of such institution
3. The concerned NARS organization agrees to make available for usage of its students/ trainees/ researchers/ faculty/ staff/ scientists to conduct research work guided by the Director of the Institute or Vice-Chancellor of the University or Head of Organization
4. The software can be installed on server of the NARS organization and can be accessed by all the licensed users over the local area network of the NARS organization or it can be installed on multiple official machines belonging to the NARS organization (desktop, laptop) of the NARS organization in standalone mode.
5. The concerned NARS organization undertakes the responsibility of installing the software on the desktop/ laptop/server which belongs to the organization as per conditions specified in the contract specified in point 1.
6. The concerned NARS organization undertakes the responsibility of uninstalling the software from the official machines before they are disposed off or handed over to any other organization or individuals.
7. The concerned NARS organization would encourage the usage of the software for research and teaching purposes, wherever required and to keep records of the usage of the software and provide the information from time to time to the nodal centre/ IASRI, New Delhi.
8. The Software is being provided without any cost from the concerned NARS organization. The software would be on perpetual (for ever) license. The update and upgrade of the



4.3.3 Research Statistical Database

software would be provided for three years free of cost for which download link and license file would be sent. The concerned organization would download the updates and upgrades for the use of the concerned NARS organization and install it on the computer systems of the organization along with the product authorization code (license file). The hardware/ other software required for the usage of the software would be provided by the NARS organization itself.

9. After the expiry of three years of the date of installation, every year license file (for ever) would be provided free of cost. The concerned NARS organization agrees to update the license file as and when provided by IASRI, New Delhi or M/s SAS Institute (India) Private Limited (the Supplier) both during first three years and after the three years of installation without any delays.
10. After three years of date of installation, if the organizations wants to use the facility of "Maintenance Services" which includes upgrades, updates and technical support, have to pay an amount of INR Rs. 1.3 lakhs per Institute / University in case the organization seeks the said service in the 4th year itself. This Maintenance Service Fee is subjected to an escalation of 6% on a year on year basis. If the concerned NARS organization seeks the said service in any of the subsequent years then NARS organization would have to pay for the fees due in the earlier years for which they have not paid the charges. For purchase of annual maintenance services, SAS would be notified at least ninety (90) days prior to the expiration. In case no updates and upgrades are required, then no "maintenance services", fees is required to be paid.
11. The concerned NARS organization agrees to send the researchers from the organization to attend the training programmes to be conducted by the IASRI, New Delhi/ any one of the statistical computing hubs for the usage of the software. It may be noted here that the expenses on the TA, boarding, lodging etc. would be borne by the project till March 31, 2012.
12. The concerned NARS organization agrees to inform any change in name of Nodal Officer to IASRI, New Delhi and will ensure that all relevant details are handed over to the new nominated nodal officer. NARS organization also takes the responsibility of nominating a new nodal officer in case of transfer, superannuation, etc. of the nominated nodal officer and will ensure that all materials are handed over to the new nominated nodal officer.
13. The concerned NARS organization would inform immediately any changes in the IP address of the organization and to take an undertaking from the service provider that same IP Address would not be given to anyone else, till your organization gets a new IP Address and inform IASRI, New Delhi.

IN WITNESS whereof the parties hereto have caused this agreement to be executed in accordance with the laws of India on the day ____, month ____ and year indicated above. w.e.f. June, 2010

For and on behalf of Concerned NARS organization - <i>Rajmata Vijayasaje Saindia Krishi Vishwa Vidyalaya, Gwalior.</i>	For and on behalf of IASRI, New Delhi
Signed <i>[Signature]</i>	Signed <i>[Signature]</i>
In the capacity of DIRECTOR RESEARCH SERVICES R.V.S.K.V.V., Gwalior (M.P.) 474 002	In the capacity of <i>[Signature]</i> WILLIAM WALTER BHATIA Director National Institute of Statistical Science (IASRI) 150, Ring Road, New Delhi - 110012
In the presence of <i>[Signature]</i> 4/6/2010	In the presence of <i>[Signature]</i>

Deputy Director Instruction
R.V.S.K.V.V., Gwalior



Annexure III

Technical Specifications alongwith training Schedule

A. SAS Technology Components

(i) SAS Software - Enterprise Business Intelligence Server (one no.)

S. No.	Item
1.	SAS Software - Enterprise Business Intelligence Server* for 10 concurrent users: Web and desktop reporting, Portal and customizable dashboards, Microsoft Office integration, Query and analysis, Interactive business visualization, OLAP storage and OLAP data exploration interface, Integrated analytics, Meta data management, SAS Integration Technology consisting of
	(a) Base SAS software
	(b) SAS/Stat software
	(c) SAS/Graph
	(d) SAS Enterprise Guide
	(e) SAS/ETS software
	(f) SAS/OR software
	(g) SAS/QC software
	(h) SAS Access to OLE DB
	(i) SAS/Access Interface to PC file formats
	(j) SAS/Access Interface to ODBC
	(k) SAS/Access Interface to Oracle, SQL Server, DB2
	(l) SAS LAB Software
	(m) SAS/IML software/ SAS IML Studio
	(n) SAS/Genetics software
	(o) SAS / App Dev Studio
	(p) SAS FSP Software
	(q) SAS Share Software
	(r) SAS Connect Software
	(s) SAS Secure
	(t) JMP Genomics (inclusive of JMP Statistical Discovery Software)

- Definition: Internet/ Web based license refers to Client- Server based licenses to be installed in Server at lead Centre.
- Usage: The software can be accessed by all the licensed users (as defined through IP identification) over the web.
- Licensed User: The software can be installed at IASRI or any one of the NARS Institution and used by students/ trainees/researchers/ staff/ scientists of the research institutions of NARS including SAUs/CAUs/ Agricultural Colleges to conduct research/ academic work guided by the Director of the Institute or Vice-Chancellor of the University or Head of Organization.
- SAS EBI Server should be configured on IP identification
- SAS EBI server should have direct plug-in to MS Office and have Microsoft Office Integration



Signature
28/05/16 9

18/1



- SAS EBI server may be installed on a Server machine with any configuration (lowest configuration of Server for working of SAS EBI Server as Single CPU dual core with 8-16 GB RAM) located at IASRI or any one of the NARS Institutions. Server configuration may be changed at any time during the perpetual license period. Any such change made in the server configuration shall be provided to SAS to enable SAS to generate a Product Authorization Code without any additional cost.
- Analytical modules other than the Core EBI Server have the flexibility of loading at multiple machines at IASRI or the NARS Institution where the SAS EBI server is installed
- The Software should be able to work efficiently on Windows Vista and all earlier versions such as Windows XP, Windows 2003/ 2000 Server.
- Software should be on perpetual basis (Use Forever)
- SAS Insight should be included in the above component

(ii) SAS Software - Network (50 nos.)

S. No.	Item
1.	SAS Software - Network consisting of
	(a) Base SAS software
	(b) SAS/Stat software
	(c) SAS/Graph
	(d) SAS Enterprise Guide
	(e) SAS/ETS software
	(f) SAS/OR software
	(g) SAS/QC software
	(h) SAS/Access to OLE DB
	(i) SAS/Access Interface to PC file formats
	(j) SAS/Access Interface to ODBC
	(k) SAS/Access Interface to Oracle, SQL Server and DB2
	(l) SAS/LAB Software
	(m) SAS/IML software/ SAS IML Studio
	(n) SAS/Genetics software
	(o) SAS/ FSP Software
	(p) SAS/Share Software
	(q) SAS/ Connect Software
	(r) SAS Secure
	(s) SAS Integration Technology
	(t) JMP Genomics (inclusive of JMP Statistical Discovery Software)

- The software should be able to work on the Intranet of the University and should be accessible to anyone across the campus on the Client Server Mode
- It should be able to work on any server machine with lowest configuration of 1 CPU Dual Core
- The Software should be able to work efficiently on Windows Vista and all earlier versions such as Windows XP, Windows 2003/ 2000 Server.
- Software should be on perpetual basis (Use Forever)
- SAS Insight should be included in the above component
- Definition: Internet/ Web based license refers to Client- Server based licenses to be installed in one Work Station/ Server. The Software can also be installed on multiple machines in the standalone mode so as to enable the researchers to work in the non-availability of Local Area Network in the Institute/ University



Handwritten signature and date: 20/07/10



4.3.3 Research Statistical Database

- Usage: The software can be accessed by all the licensed users over the local area network or on individual machines installed in standalone mode.
- 50 number of the Software in (ii) are for 50 different organizations of NARS and each number can be loaded on multiple machines.
- Licensed User: The software can be installed and used by students/ trainees/ researchers/ staff/ scientists of the research institutions of NARS including SAUs/CAUs/ Agricultural Colleges to conduct research work guided by the Director of the Institute or Vice-Chancellor of the University or Head of Organization

(iii) SAS Software -Standalone (100 nos.)

S. No.	Item
1.	SAS Software- Standalone ^s consisting of
	(a) Base SAS software
	(b) SAS/Stat software
	(c) SAS/Graph
	(d) SAS Enterprise Guide
	(e) SAS/ETS software
	(f) SAS/OR software
	(g) SAS/QC software
	(h) SAS/Access Interface to PC file formats
	(i) SAS/ Access to OLE DB
	(j) SAS/Access Interface to ODBC
	(k) SAS/ Access Interface to Oracle, SQL Server, DB2
	(l) SAS/ LAB Software
	(m) SAS/IML software/ SAS IML Studio
	(n) SAS/Genetics software
	(o) JMP Genomics (inclusive of JMP Statistical Discovery Software)

- The software should be able to work efficiently on Windows Vista Business and all earlier versions such as Windows XP, Windows 2003.
- Software should be on perpetual basis (Use Forever)
- SAS Insight should be included in the above component
- Definition: Standalone means Desktop licenses
- Usage: 100 number of the Software in (iii) are for 100 different organizations of NARS and each number can be loaded on multiple machines
- Licensed User: The software can be installed and used by students/ trainees/ researchers/ staff/ scientists of the research institutions of NARS including SAUs/CAUs/ Agricultural Colleges to conduct research work guided by the Director of the Institute or Vice-Chancellor of the University or Head of Organization

(iv) Other Specifications for Technology Component mentioned in (i), (ii) and (iii)

- Software license begin date will be date of purchase notification award. The applicable anniversary dates for annual maintenance services including updates and upgrades, which is 3 year period and reinstatement of maintenance services shall be date of installation.
- Provide all Updates and upgrades released by SAS during the period of three years from the date of installation.
- One a new release is provided during the perpetual license period (forever): it should not be downgraded to previous release



28/09/10

2



4.3.3 Research Statistical Database

- All efforts should be made to address the compatibility issues of the new releases of operating system during this period of three years with R&D and upgrades for compatibility with new releases of operating system should be provided, if the company comes out with the software compatible with the latest operating system, provide compatibility with as many operating systems as possible.
- The "Product Authorization Code" which is a component of the Software that enables the Software to operate for the applicable license period should not involve any hardware key or knowledge of motherboard key number of CPU. If possible, separate license files for all licenses (Internet, Intranet and standalone licenses) be provided.
- Provide annual Product Authorization Codes during the perpetual license period (forever) one month prior to anniversary date every year, even if there is no up-gradation and updation and it shall work, at least with the operating system on which it is working at the last date of end of three years from the date of installation.
- In addition to the modules in (i), (ii) and (iii), provide SAS Enterprise Miner, SAS Bridge to ESRI in replacement of offered modules for 15 of the Institutes
- Provide SAS macros related to agricultural sciences such as diallel analysis, line x tester analysis, path analysis, estimation of genetic parameters, stability analysis, G x E interaction, numbering with multiple comparison procedures, etc. and upgraded as and when they are migrated to platform of operation.
- Provide SAS manuals and User guides along with the licenses without any additional cost for all the 9 consortium partners. Include manuals of JMP genomics in it.
- Provide soft copies of guides of SAS Enterprise Guide, SAS IML Studio, JMP Genomics, etc. along with all the licenses (Internet, Intranet/network and standalone) and help in documentation on all modules should be part of the software.
- SAS software may be sent to IASRI via e-link. It is the responsibility of SAS to download at either the lead center or at one of the nodal centers, multiply and prepares the DVD's at IASRI and ship to the locations mentioned in the Schedule of requirements.
- Provide the right to copy the Software only for (a) installation of personal computer Software and (b) disaster recovery and back-up purposes.
- Free comprehensive "Maintenance Services" which includes Update and Upgrades, technical support shall be provided by the Supplier during the first three years from the anniversary date.
- For avoidance of doubt, it may be mentioned here that the clauses in the Contract will hold for perpetual licensed period (forever).







Pat. Singh
28/1/15/16

28/1



4.3.3 Research Statistical Database







7

Item No. 4.3.3(9)

Theatre



Theatre at University








RVSKVV, GWALIOR (MP)

4.3.3 Theatre



 **GPS Map Camera**



Gwalior, Madhya Pradesh, India

659X+M7Q, LNUPE Campus, Thatipur, Gwalior, Madhya Pradesh

474011, India

Lat 26.219234°

Long 78.197943°

07/10/24 03:50 PM GMT +05:30

Google





4.3.3 Theatre






4.3.3 Theatre





4.3.3 Theatre





4.3.3 Theatre





RVSKVV, GWALIOR (MP)

4.3.3 Theatre



 GPS Map Camera



Gwalior, Madhya Pradesh, India

Thatipur, LNUPE Campus, Thatipur, Gwalior, Madhya Pradesh

474011, India

Lat 26.21935°

Long 78.197777°

07/10/24 03:40 PM GMT +05:30

Google



Theatre at College of Agriculture, Gwalior





RVSKVV, GWALIOR (MP)

4.3.3 Theatre






Theatre at College of Horticulture, Mandasaur





4.3.3 Theatre





Theatre at College of Agriculture, Indore






8


Item No. 4.3.3(10)

Art Gallery







Mandsaur, Madhya Pradesh, India
337Q+5C4, Sitamau, Mandsaur, Madhya Pradesh 458001, India
Lat 24.062806°
Long 75.088554°
11/10/24 10:54 AM GMT +05:30






4.3.3 Art Gallery







4.3.3 Art Gallery



Mandsaur, Madhya Pradesh, India
 337Q+5C4, Sitamau, Mandsaur, Madhya Pradesh 458001, India
 Lat 24.062786°
 Long 75.088749°
 11/10/24 10:53 AM GMT +05:30



Mandsaur, Madhya Pradesh, India
 337Q+5C4, Sitamau, Mandsaur, Madhya Pradesh 458001, India
 Lat 24.062812°
 Long 75.088783°
 11/10/24 10:53 AM GMT +05:30




RVSKVV, GWALIOR (MP)

4.3.3 Art Gallery




Mandsaur, Madhya Pradesh, India
337Q+575, MP SH 14, Madhya Pradesh 458895, India
Lat 24.063166°
Long 75.088216°
11/10/24 10:51 AM GMT +05:30






4.3.3 Art Gallery








4.3.3 Art Gallery



Mandsaur District, Madhya Pradesh, India
337Q+575, MP SH 14, Madhya Pradesh 458895, India
Long 75.088228°
Lat 24.062880°
30/9/2024 12:05 PM



Mandsaur District, Madhya Pradesh, India
337Q+575, MP SH 14, Madhya Pradesh 458895, India
Long 75.088228°
Lat 24.062880°
29/9/2024 03:15 PM






RVSKVV, GWALIOR (MP)

4.3.3 Art Gallery



GPS Map Camera



Mandsaur District, Madhya Pradesh, India

Mandsaur, Madhya Pradesh, India

Long 75.067902°

Lat 24.073436°

30/9/2024 11:51 AM





9

Item No. 4.3.3(11)

**Any other facility
to support
research**



RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research

Open Top Chamber



Rainout Shelter



Rainfall Simulator



RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research



Gwalior, Madhya Pradesh, India

65FR+785, Racecourse Rd, near Mela Grounds, RVS Agriculture University Campus, Madhya Pradesh 474002, India


Lat 26.223063°

Long 78.190121°

12/09/24 12:28 PM GMT +05:30



GPS Map Camera



Gwalior, Madhya Pradesh, India

65FR+H6W, RVS Agriculture University Campus, Thatipur, Gwalior, Madhya Pradesh 474011, India

Lat 26.224001°

Long 78.19027°

21/06/24 11:47 AM GMT +05:30



RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research



Lysimeter





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research



HPLC





Name of Equipment: pH Meter



Name of Equipment: Nitrogen Analyzer (Keldhal Distillation Unit)





Name of Equipment: Kjeldahl Digestion Unit



Name of Equipment: Soil Science Laboratory





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research

Name of Equipment: Filtration of Soil Samples



Name of Equipment: FLAME PHOTOMETER





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research

Name of Equipment: Spectrophotometer



Name of Equipment: Atomic Absorption Spectrophotometer (AAS)





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research

Name of Equipment: Vario TOC Analyzer




Name of Equipment: Zeta Potential Analyzer





Name of Equipment: Double Distillation Unit



Soil Science Laboratory at RVSKVV, Gwalior





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)


4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research






4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research





RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research



 **GPS Map Camera**



Kithiya Joshi, Madhya Pradesh, India
R95W+44, Kithiya Joshi, Madhya Pradesh 450001, India
Lat 21.808181°
Long 76.395341°
07/10/24 05:33 PM GMT +05:30

Google



RVSKVV, GWALIOR (MP)

4.3.3 Any other facility to support Research

Biogas Plant

